


INSTRUMENTS 2021-2022



Pro-Vision Instruments



Instruments

Shop-Design

Contact lenses





PRO-VISION Instruments

Kerkhovensesteenweg 445

B-3920 Lommel

tel:+32 11 75 35 60

Btw: BE 0479.776.153

Info@provinst.com

Www;provinst.com

FABRILENS Evolutions

Kerkhovensesteenweg 445

B-3920 Lommel

tel:+32 3877 44 00

Btw: BE 0879.776.153

Contact@fabrilens.be

Www.fabrilens.be



Ophthalmic Units , Tables & Chairs



Frastema **PROLINE** unit

Small, suitable for limited spaces. Functional, electrically adjustable height. The application of BCRS allows access to wheelchair patients.



Frastema **EASIER** Unit

A little space occupied, a pleasant design



Frastema **NEWLINE** 2-instrument unit.

With lens drawer



Frastema **NEW SIMPLEX** unit.

For a functional and comfortable sight visit, the New Simplex is the better choice on the market in quality and convenience.



Frastema **EXCLUSIVE** 2-instrument unit.

Traversing table top with adjustable height.



Frastema **MASTER 4** Unit

Unit for four instruments placed on traversing tables. The raising, rotation and opening of the tops is totally motorized.

Ophthalmic Units , Tables & Chairs



R RODENSTOCK

PRO 80 No matter if you are equipping a pre-testing room, second room for contact lens fitting or a room for paediatric medicine, the PRO 80 refraction unit is made for every purpose in even the smallest spaces.



R RODENSTOCK

For convenient daily use: the **PRO 500** refraction unit with its practical, modern and ergonomic design. It offers a range of functionalities and fulfils the ideal requirements for connecting further Rodenstock Instruments equipment.



R RODENSTOCK

An existing product enhanced – this is how the **PRO 1000/EVO** was created. Thanks to the electromagnetic brake function for the seat height adjustment, optional height adjustment of the work table and preinstalled connectors for our Rodenstock Instruments equipment, the PRO 1000/EVO can proudly be called our high-end refraction unit.



ER-500 SC-500 Chair



Ophthalmic Units , Tables & Chairs



Refraction Unit **MODULA** Basic assembly right- or left justified with steered double instrument table. The unit consists of various modules that can be combined as desired.



MDT Unit **EASY**
Quality and design at a reasonable price .



Refraction Unit **MIKROLA** . Right –or left unit with two device telescope table. Mobile by hand or electromotive.



MDT Unit **ECO-Plus**
With electromotive adjustable table –top.

Ophthalmic Units , Tables & Chairs



T-P Stool



T-L Stool



T-L Stool New version



T-S Stool

Ophthalmic Units , Tables & Chairs



Pro-Vision Instruments



Table MD-1



Table MD-2



Table COMBO-1



Table COMBO-2



Table MD-3



Table MD-V



Ophthalmic Units , Tables & Chairs



Pro-Vision Instruments



FRASTEMA
ophthalmic equipments

Frastema 88DB



FRASTEMA
ophthalmic equipments

Frastema 88NE Executive



FRASTEMA
ophthalmic equipments

Frastema 88BE



FRASTEMA
ophthalmic equipments

Frastema 88 FA Comfort



FRASTEMA
ophthalmic equipments

Frastema 88ED



FRASTEMA
ophthalmic equipments

88HE Gemini



FRASTEMA
ophthalmic equipments

Frastema ROD



FRASTEMA
ophthalmic equipments

88MC Avangarde

Ophthalmic Units , Tables & Chairs



Pro-Vision Instruments



art. 77FX
SURGICAL

Poltrona operatoria per chirurgia oftalmologica.
Mobile operating chair for ophthalmology.

The SURGICAL operating chair has been developed specifically for outpatient surgery. This product helps to prevent patient movements and the risk of back injury for your staff. It provides unparalleled comfort for the patient and improves your efficiency. The SURGICAL chair is suitable for ophthalmology, surgery procedures.

La poltrona SURGICAL presenta svariate dotazioni di sicurezza
The SURGICAL chair is equipped with safety features

Alimentazione elettrica e dispositivi di sicurezza
L'alimentazione elettrica viene usata solo per la ricarica della batteria, in più la poltrona è provvista di vari sistemi di sicurezza.
Power supply & emergency safety devices
The power supply is used only for the battery charge, moreover, the chair is provided with various emergency and safety devices.

Batteria ad elevate prestazioni
La batteria consente un'autonomia fino a 1 settimana prima di ricaricarla.
Duty cycle battery
The battery allows to work till 1 week before recharge it.

Comando
La pulsantiera di comando consente un controllo completo di tutti i movimenti e regolazioni della poltrona.
Hand control
The hand control allows a complete control of all movements & settings of the chair.

Mobilità
Le ruote specifiche, dotate di pedaliera che consente 3 posizioni:
• libera
• direzionale
• frenata.

Mobility
The specific wheels equipped with a foot pedal that allows 3 position:
• directional
• steering
• brake.

Poggiatesta sagomata per una miglior stabilità della testa del paziente.
Comfortable headrest for a stable fixing of the patient's head.



Poggiatesta con regolazioni sia manuali che motorizzate.
Headrest with manual & electric adjustments.



Display livello batteria
Battery level display



Ruote orientabili con dispositivo di scarico a terra delle correnti elettrostatiche.
Swivelling castors with conductive system for ground discharge of electrostatic currents.



Slitlamps , Lensmeters



R RODENSTOCK

The **RSL 5000** is a high-performance H-type slit lamp with extensive filters and high-quality material coatings and optics. Show the examination to your customer by choosing the digital slit lamp version with integrated camera system.



R RODENSTOCK

The H-type **RSL 2500digital** combines quality optics with image and video recording of all slit lamp examinations. A perfect examination and consultation tool in combination with the supplied software.



R RODENSTOCK

AL 6400 uses wavefront technology to measure corrections in spectacle lenses and contact lenses, detect progression of multifocal lenses and test simultaneously the transmission of UV and blue light.



i-Optik®

The **TL-6800** Autolensmeter contains an advanced Shack-Hartmann sensor with 145 measurement points, progressive lens recognition to make measurement easy and accurate. UV/Blue light measurement expands its capabilities . With adjustable LCD Screen



The **S2 Portable Slit Lamp** is a lightweight, single hand operated slit lamp. Functions as a desktop slit lamp but ideal for pediatrics, seniors, nursing home, carry-out or mobile hospital.



S150 is a portable slit lamp with magnetic pad which can attach smart phone to capture eye images. It is convenient for clinicians to carry anywhere and record pathology and eye conditions of patients. It also has colt blue illumination to assist anterior segment examination.



The all-new **LensChek™ Pro Digital Lensometer®** with PD + UV, combines technology with simplicity.

Autorefractometer, Topography, Tonometry, Funduscamera, Specular Microscope



R RODENSTOCK

The **CX 800** appeals to all users looking for an economical solution without sacrificing accuracy of refraction, central keratometry values and cornea and pupil measurement.



R RODENSTOCK

The **FundusScope** captures high-resolution images of the retina with a focus on usability and patient comfort.



R RODENSTOCK

For all eye-care professionals who require an extremely fast autorefractometer without making any compromise in its use. With its focus on durability and automatic measurement, it is always a pleasure to use the **CX 2000**.



R RODENSTOCK

The **REM 4000** captures high-quality photos and automatically analyses the size, shape and population of the endothelial cells. The monitoring of contact lens wearers and evaluation of common ocular conditions becomes an easy routine.



R RODENSTOCK

Experience 6 analyses in 1 device: refraction, keratometry, topography, tonometry, pachymetry and dry eye analysis. Are you ready for something that is all-in-one, time-saving, space-saving and suits your business perfectly? Let's have a look at how powerful **ALINO**® can be.



i-Optik®

Advanced refractive measurement technology, the most complete image analysis, allows a reliable measurement result and optimizes data consistency.

The automatic identification of the best measurement position for keratometry, prevents malfunction and allows precise measurement of keratometry.

Rodenstock Instruments **ALINO®**



6 in 1 solution

01 Refraction

Having a good starting value for subjective refraction is essential. The QUICK REF MODE supports this even for uncooperative patients.

02 Keratometry

KAI (Kerato-asymmetry index) & KRI (Kerato-regularity index) give the first hint of possible irregularities on the cornea. This supports evaluation of the best vision correction or best-fitting contact lens.

03 Tonometry

The very gentle air puff created by a new generation of air-flow technology means that patients more readily accept the need for regular check-ups of the IOP measurement.

06 Dry Eye

Observe the customers' eye health and evaluate the long-term tolerability of contact lenses.

05 Topography

Various topographic maps support you in carrying out vision screenings, contact lens fittings and in patient education.

04 Pachymetry

Correcting the IOP by measuring the central corneal thickness is essential in interpreting the intraocular pressure.



R RODENSTOCK



The all-new

ALINO®

MULTIFUNCTION UNIT

Making analysis fashionable

Rodenstock Instruments TOPASCOPE® Non-Contact Tonometer with Pachymetry



Pro-Vision Instruments

Outstanding features

IOP measurement

Intraocular pressure measurement by a soft air puff with no contact

Pachymetry

Central corneal thickness (CCT) measurement using Scheimpflug technology

Printer

Built-in thermal printer with auto-cut function

Fully automatic

3D auto-tracking and auto-measurement with one touch

Database

All measurements are stored in the internal database

User interface

All controls are performed by the very user-friendly interface on the 10.1" touch panel



Phoropters



R RODENSTOCK

Our **Phormat 2000** automatic phoropter includes many functions making refraction testing easier. Start with subjective refraction after importing data from the lensmeter or autorefractor and access a variety of test charts.



R RODENSTOCK

Phorovist 2000 – the manual phoropter with proven technology. Experts know and appreciate every sound, every interlocking of the precise mechanical components, which stands for highest quality.



Reichert TECHNOLOGIES

The original and best refracting instrument, **Phoroptor** continues to be the industry standard after more than 90 years, offering world-renown mechanical quality and craftsmanship.



i-Optik®


CV-7800: Auto phoropter that can be controlled by tablet. Bluetooth communication, providing more flexibility in space. More simple operation interface, ensuring more efficient optometry experience. Supports customized programming, easier for chain stores to unify the optometry standards.




Reichert TECHNOLOGIES

The all-new **SightChek™ Digital Phoroptor®**, part of the VisionChek™ Digital Exam Suite, combines technology, simplicity, and value at the core of your exam. SightChek™ is your entry into the efficiency of a digital refraction.

Chart Monitor, Topography



CV 900 is a preprogrammed 24-inch chart panel with all necessary charts for a conventional refraction test



CM-1900: Elegant, narrow and ultra-thin, which highlights the image of the shop window of the 23-inch LCD monitor, adapts to a variety of optometry environments.



DMD Vista Polar / Non Polar



The Reichert **ClearChart 4** is a high resolution monitor with an LED backlit display that is light and long lasting.



The **Keratron™ Piccolo** combines excellent performance with portability and maneuverability. Thanks to its small size, it guarantees maximum compatibility on any slit lamp, ensuring the same precision, repeatability and cornea coverage as the other topographers of the Keratron™ family.

Tonometry



Pro-Vision Instruments

R RODENSTOCK



Make tonometry as pleasant as possible for your customers. The **NCT 2000** is a fully automated device with a soft and silent air puff. Adjust the measured IOP data to the central corneal thickness by setting the calculation formula to your preferences.

R RODENSTOCK



Rodstock **ALINO**[®]
Experience 6 analyses in 1 device: refraction, keratometry, topography, tonometry, pachymetry and dry eye analysis.

Reichert[®] TECHNOLOGIES



The **7CR** from Reichert Technologies utilizes a patented bi-directional applanation process to characterize the biomechanical properties of the cornea and reduce their impact on the IOP measurement.

Reichert[®] TECHNOLOGIES



Reichert **ORA G3**
Make a more confident glaucoma risk assessment with Corneal Hysteresis – a more objective predictor of glaucoma progression.

Ultrasound, Perimetry



KAI XIN



10.4 inch high resolution and contrast LED screen, satisfy high-definition visual enjoyment.

Silicone backlit keyboard design, equipped with photoelectric trackball and encoder , make operation easier.

Good quality hardware and software bring comfortable operating experience.



High Definition 10MHz & 20MHz B-scan images

High Resolution LCD Touch Screen Image/ Video snapped and stored in real time in multiple buffer slots for immediate comparison and review

Multiple TGC options for operator's preference including vitreous-enhanced mode

Editable clinical report with A-scan/IOL results, B-scan images, and textual comments with configurable entries

Reports in PDF format for sharing and print-out

Compatibility with graph/text printer

Diverse connections via HDMI and USB 2.0 ports


HDMI interface for double-screen showcase

R RODENSTOCK



Perismart is a smart and modern static automated perimeter – a real lightweight device focusing on mobility without compromising features. It offers a variety of strategies and

R RODENSTOCK



By giving you the choice between a fully equipped kinetic and static perimeter (**Perimat**) or the static perimeter **Peristat**, you will surely find the right one that addresses your individual needs.

Accessories, Optometry

Online webshop: www.provinst.com/webshop



Pro-Vision Instruments




Contact Lenses 2021-2022



Instruments

Shop-Design

Contact lenses





FABRILENS Evolutions

Kerkhovensesteenweg 445

B-3920 Lommel

tel:+32 3877 44 00

Btw: BE 0879.776.153

Contact@fabrilens.be

Www.fabrilens.be

PRO-VISION Instruments

Kerkhovensesteenweg 445

B-3920 Lommel


tel:+32 11 75 35 60

Btw: BE 0479.776.153

Info@provinst.com

Www;provinst.com





INNOVATION IS THERE

Safilens was founded in 2001 to create innovative, high quality products in the contact lens sector.

This solid, innovative company can draw on its founders' experience of over thirty years, to provide solutions that are always in line with the evolution of the market and of the needs of people who wear contact lenses.

The true value of the company is the excellence of its Research & Development department

For range and parameters : www.fabrilens.shop



For range and parameters : www.fabrilens.shop



**Élite™
cleaner**
Cleaning solution



F **Medi
Brugge**
Fabrilens

ISOSOL®



Regard®
Innovative
contact lens solution



**Regard®
K**
Gas Permeable
contact lens solution



VitaResearch

For range and parameters : www.fabrilens.shop

Wet.®



Wet.® Therapy



Wet.® FORTE

LUBRICATING
OPHTHALMIC SOLUTION
WITH SODIUM HYALURONATE



RE/SET



For range and parameters : www.fabrilens.shop

Retina

VORMSTABIEL

Perfecta

VORMSTABIEL

Zenlens RC

VORMSTABIEL

Percon

VORMSTABIEL

Tetra- Flexi TC-
Flexi B- Flexi W

VORMSTABIEL

Tricurve

VORMSTABIEL

Orion / asferisch

VORMSTABIEL

Volasfeer /
Ellipticon

VORMSTABIEL

Soft Expert
38% & 49%

ZACHT

Permanent
Wear

ZACHT

Soft
38% & 55%

ZACHT



UCO
CONTACTLENZEN
HOLLANDS AMBACHT

For range and parameters : www.fabrilens.shop

microlens

you will see

Contactlenzen voor u op maat gemaakt



Vormstabele contactlenzen



Zachte contactlenzen



Scleralenzen

Ophtecs
Europe

For range and parameters : www.fabrilens.shop

cleadew

Unieke verzorgingsproducten met superieure werking



cleadew Soft



cleadew GP



cleadew MPS

OphTECS
Europe

For range and parameters : www.fabrilens.shop



SEED®


For range and parameters : www.fabrilens.shop




avanti[®]
MONTHLY DISPOSABLE SOFT CONTACT LENSES



KERASOFT[®] **IC**



**Fabriflex GP Lenses made
by
ULTRAVISION**



ultravision ^{CLPL}

For range and parameters : www.fabrilens.shop



Bio-Glo for RGP

Bio-Soft for Soft lenses



Lens Plates



DMV-Suction cups



Tweezer for ctl.



Professional Desinfection pro-

For range and parameters : www.fabrilens.shop